

## Pharmaceutical and Medical Device Regulatory Science Society of Japan Pharmaceutical Reference Standards Center

March 2024

## Valid Use Dates of Japanese Pharmacopoeia Reference Standards and Other Compendial Reference Standards

Pharmaceutical and Medical Device Regulatory Science Society of Japan (PMRJ) is pleased to announce that it has decided to start operating 'Valid use dates 'for Japanese Pharmacopoeia (JP) Reference Standards and other reference standards distributed by PMRJ, as follows.

■ Valid use dates for the use of JP Reference Standards and other compendial reference standards distributed by PMRJ

The valid use date assigned for the reference standards distributed by PMRJ is one year from the end of distributing a lot (excluding items specified separately).

- \* The Valid use dates are guaranteed, only if the product is unopened and properly stored as specified storage conditions.
- \* Once the distribution of the lot ends immediately after your purchase, one year, which is the shortest term, is assigned as the valid use date from the shipping date of the items you purchase.
- ※ PMRJ regularly carries out quality verification tests on the reference standards to check the quality of each lot from the start of distribution until one year after the end of distribution.
- Start of operation of valid use dates

## From April 2024

\* The current lot number being distributed can be found on the webpage for each reference standard in the PMRJ online store. Once the distribution of a lot ends after April 2024, the valid use date for the lot can be found on the webpage in the PMRJ online store. For items specified separately, the details can be found on the webpage for each reference standard.